

OLiO™

Collection of Intelligent Fittings



**INTELLIGENT FITTING
FOR INSPIRED LIVING**
PRODUCT CATALOGUE

About Us

At **OLiO**, we bring innovation and precision to the world of modular furniture fittings. With a passion for seamless design and smart functionality, we provide high-quality, intelligent fitting solutions that enhance modern living spaces.

Driven by excellence and craftsmanship, our products are designed to offer effortless integration, durability, and style, making every piece of furniture more efficient and aesthetically pleasing. Whether it's for homes, offices, or commercial spaces, **OLiO** delivers fittings that redefine convenience and elevate interiors.

- ★ **Our Mission:** To provide cutting-edge furniture fitting solutions that blend functionality with innovation.
- ★ **Our Vision:** To be a global leader in modular furniture fittings, setting new standards in quality and design.
- ★ **Our Promise:** Smart, durable, and stylish fittings that bring intelligence to every space.

FITTING COLLECTION

1. Premium Telescopic Slide	6
2. Slim Nano Box	14
6. Hinges	16
7. Gas Spring Pump	20
8. Kitchen Accessories	22
9. Wardrobe Door Sliding System	33
Accessories	
11. Bed Fittings & Frame	38
12. General Hardware	42
13. Furniture Castor	55
14. Aluminum Profile	56
15. Office Hardware & Accessories	60
16. Smart Hardware	63
17. LED Lights	66
18. Metal Legs	67






SMART SPACES

Starts Here For

*Kitchen,
Wardrobe,
Furniture Fitting*

And Many More....



From cooking to clothing, your space deserves precision.
Let every corner speak design and detail.



Premium
Telescopic Slide

TELESCOPIC SLIDE (CHANNEL) 35kg





Slide Length in Inch	Slide Length in mm	Slide Height in mm	Min. Cabinet Depth	Finish	Packing
08 Inch	200 mm	45 mm	204 mm	Zinc White / Black	15 Set
10 Inch	250 mm	45 mm	254 mm	Zinc White / Black	15 Set
12 Inch	300 mm	45 mm	304 mm	Zinc White / Black	15 Set
14 Inch	350 mm	45 mm	354 mm	Zinc White / Black	15 Set
16 Inch	400 mm	45 mm	404 mm	Zinc White / Black	15 Set
18 Inch	450 mm	45 mm	454 mm	Zinc White / Black	15 Set
20 Inch	500 mm	45 mm	504 mm	Zinc White / Black	15 Set
22 Inch	550 mm	45 mm	554 mm	Zinc White / Black	15 Set
24 Inch	600 mm	45 mm	604 mm	Zinc White / Black	15 Set

FEATURES

- Load Capacity: 35 KG
- Smart, Calm and Quieter
- Guide Rail Widening
- Available Finish : Zinc White & Black
- 120 Hour Salt Tested
- Damping Self-Priming
- Long Life & Nylon Locking

INSTALLATION



TELESCOPIC SLIDE (CHANNEL) 45kg





Slide Length in Inch	Slide Length in mm	Slide Height in mm	Min. Cabinet Depth	Finish	Packing
08 Inch	200 mm	45 mm	204 mm	Zinc White	15 Set
10 Inch	250 mm	45 mm	254 mm	Zinc White	15 Set
12 Inch	300 mm	45 mm	304 mm	Zinc White	15 Set
14 Inch	350 mm	45 mm	354 mm	Zinc White	15 Set
16 Inch	400 mm	45 mm	404 mm	Zinc White	15 Set
18 Inch	450 mm	45 mm	454 mm	Zinc White	15 Set
20 Inch	500 mm	45 mm	504 mm	Zinc White	15 Set
22 Inch	550 mm	45 mm	554 mm	Zinc White	15 Set
24 Inch	600 mm	45 mm	604 mm	Zinc White	15 Set

FEATURES

- Load Capacity : 45 KG
- Smart, Calm and Quieter
- Guide Rail Widening
- Available Finish : **Zinc White**
- 120 Hour Salt Tested
- Damping Self-Priming
- Long Life & Nylon Locking

INSTALLATION



TELESCOPIC SLIDE (CHANNEL) SOFT CLOSE-45Kg



Slide Length in Inch	Slide Length in mm	Slide Height in mm	Min. Cabinet Depth	Finish	Packing
12 Inch	300 mm	45 mm	304 mm	Zinc White	15 Set
14 Inch	350 mm	45 mm	354 mm	Zinc White	15 Set
16 Inch	400 mm	45 mm	404 mm	Zinc White	15 Set
18 Inch	450 mm	45 mm	454 mm	Zinc White	15 Set
20 Inch	500 mm	45 mm	504 mm	Zinc White	15 Set
22 Inch	550 mm	45 mm	554 mm	Zinc White	15 Set
24 Inch	600 mm	45 mm	604 mm	Zinc White	15 Set


FEATURES

- Load Capacity : 45 Kg
- Smart, Calm and Quieter
- Guide Rail Widening
- **Soft Close Sliding**
- 120 Hour Salt Tested
- Damping Self-Priming
- Long Life & Nylon Locking
- Available Finish : **Zinc White**


SPECIFICATION

- Thickness: 1.2x1.2x1.2 mm
- Finish: Zinc plating
(450 mm as standard)
- Cycling: 1,00,000 times

INSTALLATION



UNDERMOUNT (Quadro Full Extn.) DRAWER SLIDE-SC



Slide Length in Inch	Slide Length in mm	Slide Height in mm	Min. Cabinet Depth	Finish	Packing
12 Inch	300 mm	45 mm	304 mm	Zinc	10 Set
14 Inch	350 mm	45 mm	354 mm	Zinc	10 Set
16 Inch	400 mm	45 mm	404 mm	Zinc	10 Set
18 Inch	450 mm	45 mm	454 mm	Zinc	10 Set
20 Inch	500 mm	45 mm	504 mm	Zinc	10 Set
22 Inch	550 mm	45 mm	554 mm	Zinc	10 Set


FEATURES

- 35 KG Load Capacity
- Integrated Synchronize System
- With Locking device easy to remove the drawers
- Durability: 80,000 times
- Finish: **Zinc Plated**


APPLICATION

- Wardrobe,
- Kitchen Cabinet,
- Office Furniture,
- Home Furniture


INSTALLATION



Installation for inner drawer



Installation for standard drawer



POCKET DOOR SLIDE




Slide Length in In.(mm)	Hidden Length in mm	Suggested Cabinet Depth (mm)	Suggested Door Width (mm)	Finish	Packing
16 In.=400 mm	320 mm	400+Door Thickness	320+(50~100)	Zinc White	20 Set
18 In.=450 mm	370 mm	450+Door Thickness	370+(50~100)	Zinc White	20 Set
20 In.=500 mm	420 mm	500+Door Thickness	420+(50~100)	Zinc White	20 Set


FEATURES

- Load Capacity : Up to 45 Kg
- Smart, Calm and Quieter
- Guide Rail Widening
- Soft Close Sliding
- 120 Hour Salt Spray Tested
- Pre-Drilled Multi Hole Pattern
- Long Life & Nylon Locking
- Available Finish : **Zinc White**

INSTALLATION



SIDE HIDDEN DOOR INSTALLATION



TELESCOPIC SLIDE (CHANNEL) HEAVY DUTY-125Kg




Slide Length in Inch	Slide Length in mm	Slide Height in mm	Min. Cabinet Depth	Finish	Packing
18 Inch	450 mm	45 mm	454 mm	Zinc White	
20 Inch	500 mm	45 mm	504 mm	Zinc White	
30 Inch	750 mm	45 mm	754 mm	Zinc White	
36 Inch	900 mm	45 mm	604 mm	Zinc White	

FEATURES

- Load Capacity : 125KG
- Smart, Calm and Quieter
- Guide Rail Widening
- Heavy Duty Channel
- 120 Hour Salt Tested
- Damping Self-Priming
- Long Life & Nylon Locking
- Available Finish : **Zinc White**

INSTALLATION







**Slim
Nano Box**



SLIM NANO BOX DRAWER SLIDE –Soft Close



Slide Length in Inch	Slide Length in mm	Basic Depth	Minimum Depth Required (Internal)	Minimum Height Required (Internal)	Packing
04 Inch	88 mm	450 mm	460 mm	110 mm	6 Set
06 Inch	120 mm	450 mm	460 mm	110 mm	6 Set
08 Inch	168 mm	450 mm	460 mm	110 mm	6 Set
04 Inch	88 mm	500 mm	510 mm	110 mm	6 Set
06 Inch	120 mm	500 mm	510 mm	110 mm	6 Set
08 Inch	168 mm	500 mm	510 mm	110 mm	6 Set
10 Inch	199 mm	500 mm	510 mm	110 mm	6 Set

MODEL: OK-SNB-184/186/188/204/206/208/2010


FEATURES

- Can be fixed in any width
- Load capacity: 45 kg
- 3D Adjustment
- Closing Function : **Soft Close**
- Adjustment : ± 2 mm up& down, ± 1.5 mm left& right
- Finish: **Dark Grey**




TECHNICAL DETAILS

The cabinet body rail mounting dimension



Rail mounting hole distance





Cabinet Hinges

**SOFT
CLOSE**

SLIP ON HINGES- SOFT CLOSE

FEATURES

- Product Code : **OH-S-SC-1/2/3**
- Type: Overlay (1), Half Overlay (2), Inset (3)
- Hinges Cup Diameter : 35 mm
- Installation depth : 11.5 mm
- Door Thickness : 18-22 mm
- Finish : Mild Steel
- Opening degree angle : 110°
- Side panel thickness : 15-19 mm
- Closing Function : Soft Close



CLIP ON HINGES- SOFT CLOSE

FEATURES

- Product Code: OH-C-SC-1/2/3
- Type: Overlay (1), Half Overlay (2), Inset (3)
- Hinges Cup Diameter : 35 mm
- Installation depth : 11.5 mm
- Door Thickness : 18-22 mm
- Material : Mild Steel
- Opening degree angle : 110°
- Side panel thickness : 15-19 mm
- Closing Function : Soft Close



3D CLIP ON HINGES- SOFT CLOSE

FEATURES

- Product Code: OH-3D-C-SC-1/2/3
- Type: Overlay (1), Half Overlay (2), Inset (3)
- Hinges Cup Diameter : 35 mm
- Installation depth : 11.5 mm
- Door Thickness : 18-22 mm
- Material : Mild Steel
- Opening degree angle : 110°
- Side panel thickness : 15-19 mm
- Closing Function : Soft Close



3D SS HINGES- SOFT CLOSE

FEATURES



- Product Code : **OH-3D-SS-SC-1/2/3**
- Type: Overlay (1), Half Overlay (2), Inset (3)
- Hinges Cup Diameter : 35 mm
- Installation depth : 11.5 mm
- Door Thickness : 18-22 mm
- Material : Stainless Steel
- Opening degree angle : 110°
- Side panel thickness : 15-19 mm
- Closing Function : Soft Close




3D SHORT ARM HINGES- SOFT CLOSE

FEATURES


- Product Code : **OH-3D-SA-SS-1**
- Type: Overlay (1)
- Hinges Cup Diameter : 35 mm
- Installation depth : 11.5 mm
- Material : Stainless Steel
- Closing Function : Soft Close



Overlay



Half Overlay



Inset

ALUMINUM PROFILE HINGES-BLACK

FEATURES

- Product Code : **OH-APH-BL-1/2/3**
- Type: Overlay (1), Half Overlay (2), Inset (3)
- Hinges Cup Diameter : 35 mm
- Installation depth : 11.5 mm
- Material : Stainless Steel
- Closing Function : Soft Close



OLiOTM
Collection of Intelligent Fittings

Gas Spring Pump

PG-20

SOFT
CLOSE

GAS SPRING REGULAR

Item Code	Force	Tube Diameter	Rod Diameter	Hole Distance	Packing
OGH-GSR-60N	60N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSR-80N	80N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSR-100N	100N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSR-120N	120N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSR-150N	150N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSR-200N	200N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSR-250N	250N	Ø 15	Ø 6	248 mm	50 Sets

FEATURES

- Easy to open & easy to fit
- Gas spring with cover make it dust free
- safety in use



GAS SPRING SOFT CLOSE

Item Code	Force	Tube Diameter	Rod Diameter	Hole Distance	Packing
OGH-GSSC-60N	60N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSSC-80N	80N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSSC-100N	100N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSSC-120N	120N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSSC-200N	200N	Ø 15	Ø 6	248 mm	50 Sets
OGH-GSSC-250N	250N	Ø 15	Ø 6	248 mm	50 Sets



GAS SPRING HEAVY DUTY

Item Code	Force	Tube Diameter	Rod Diameter	Hole Distance	Packing
OGH-GSHD-300N	300N	Ø 18	Ø 8	286 mm	25 Sets
OGH-GSHD-350N	350N	Ø 18	Ø 8	286 mm	25 Sets
OGH-GSHD-500N	500N	Ø 18	Ø 8	286 mm	25 Sets

FEATURES

- First find the upper mounting point 1/3 of the lid from the hinge, and open the lid to the desired angle.
- Second get the lower mounting point, mark it.
- Finally install gas pump and use it.



Kitchen Accessories



REGULAR BOTTLE PULLOUT-SOFT CLOSE-2 LAYER

Item Code	Finish	Shelf	Cabinet Size Width	Inner Size Width	Size Depth	Packing
OK-BPOR-82	Dark Grey	Two	200 mm	165 mm	450 mm	1 Sets
OK-BPOR-102	Dark Grey	Two	250 mm	215 mm	450 mm	1 Sets
OK-BPOR-122	Dark Grey	Two	300 mm	265 mm	450 mm	1 Sets

FEATURES

- Universal Frame
- Load Capacity: 45 kg
- With Anti Skid Matt.
- Color : Dark Grey
- Fitted with Soft Closing Quadra Channel
- Suitable for Left / Right Both Side
- Water proof base with best coating



REGULAR BOTTLE PULLOUT-SOFT CLOSE-3 LAYER

Item Code	Finish	Shelf	Cabinet Size Width	Inner Size Width	Size Depth	Packing
OK-BPOR-83	Dark Grey	Three	200 mm	165 mm	450 mm	1 Sets
OK-BPOR-103	Dark Grey	Three	250 mm	215 mm	450 mm	1 Sets
OK-BPOR-123	Dark Grey	Three	300 mm	265 mm	450 mm	1 Sets

FEATURES

- Universal Frame
- Load Capacity: 45 kg
- With Anti Skid Matt.
- Color : Dark Grey
- Fitted with Soft Closing Quadra Channel
- Suitable for Left / Right Both Side
- Water proof base with best coating



GLASS BOTTLE PULLOUT-SOFT CLOSE-2 LAYER

Item Code	Finish	Shelf	Cabinet Size Width	Inner Size Width	Size Depth	Packing
OK-BPOG-82	Glass	Two	200 mm	165 mm	450 mm	1 Sets
OK-BPOG-102	Glass	Two	250 mm	215 mm	450 mm	1 Sets
OK-BPOG-122	Glass	Two	300 mm	265 mm	450 mm	1 Sets

FEATURES

- Universal Frame
- Load Capacity: 45 kg
- With Anti Skid Matt.
- Frame Color : Dark Grey
- Fitted with Soft Closing Quadra Channel
- Suitable for Left / Right Both Side
- Water proof base with best coating



GLASS BOTTLE PULLOUT-SOFT CLOSE-3 LAYER

Item Code	Finish	Shelf	Cabinet Size Width	Inner Size Width	Size Depth	Packing
OK-BPOG-83	Glass	Three	200 mm	165 mm	450 mm	1 Sets
OK-BPOG-103	Glass	Three	250 mm	215 mm	450 mm	1 Sets
OK-BPOG-123	Glass	Three	300 mm	265 mm	450 mm	1 Sets

FEATURES

- Universal Frame
- Load Capacity: 45 kg
- With Anti Skid Matt.
- Color : Dark Grey
- Fitted with Soft Closing Quadra Channel
- Suitable for Left / Right Both Side
- Water proof base with best coating



TITAN BOTTLE PULLOUT-SOFT CLOSE-2 LAYER

Item Code	Finish	Shelf	Cabinet Size Width	Inner Size Width	Size Depth	Packing
OK-BPOT-82	Titan Grey	Two	200 mm	165 mm	450 mm	1 Sets
OK-BPOT-102	Titan Grey	Two	250 mm	215 mm	450 mm	1 Sets
OK-BPOT-122	Titan Grey	Two	300 mm	265 mm	450 mm	1 Sets

FEATURES

- Universal Frame
- Load Capacity: 45 kg
- With Anti Skid Matt.
- Color : Titan Grey
- Fitted with Soft Closing Quadra Channel
- Suitable for Left / Right Both Side
- Water proof base with best coating



TITAN BOTTLE PULLOUT-SOFT CLOSE-3 LAYER

Item Code	Finish	Shelf	Cabinet Size Width	Inner Size Width	Size Depth	Packing
OK-BPOT-83	Titan Grey	Three	200 mm	165 mm	450 mm	1 Sets
OK-BPOT-103	Titan Grey	Three	250 mm	215 mm	450 mm	1 Sets
OK-BPOT-123	Titan Grey	Three	300 mm	265 mm	450 mm	1 Sets


FEATURES

- Universal Frame
- Load Capacity: 45 kg
- With Anti Skid Matt.
- Color : Dark Grey
- Fitted with Soft Closing Quadra Channel
- Suitable for Left / Right Both Side
- Water proof base with best coating






REGULAR PANTRY UNIT-SOFT CLOSE-2 LAYER

Item Code	Finish	Layer	Cabinet Size Width	Size Depth	Packing
OK-PUR-45	Dark Grey	2 Layer	450 mm	550 mm	1 Sets
OK-PUR-60	Dark Grey	2 Layer	600 mm	550 mm	1 Sets




GLASS PANTRY UNIT-SOFT CLOSE-2 LAYER

Item Code	Finish	Layer	Cabinet Size Width	Size Depth	Packing
OK-PUG-45	Glass	2 Layer	450 mm	550 mm	1 Sets
OK-PUG-60	Glass	2 Layer	600 mm	550 mm	1 Sets



TITAN PANTRY UNIT-SOFT CLOSE-2 LAYER

Item Code	Finish	Layer	Cabinet Size Width	Size Depth	Packing
OK-PUT-45	Titan Grey	2 Layer	450 mm	550 mm	1 Sets
OK-PUT-60	Titan Grey	2 Layer	600 mm	550 mm	1 Sets




FEATURES

- Perfect connections between basket & door.
- Closing Function: Soft Close.
- Clear classification, more storage space.
- Water proof base with best coating.
- Quick installation.
- Load Capacity: 7Kg Max. Each Basket



REGULAR UNIVERSAL MAGIC CORNER-SOFT CLOSE

Item Code	Finish	Door Size Width	Cabinet Size Width	Size Depth	Packing
OK-UMC-R	Dark Grey	450 mm	1050 mm	550 mm	1 Sets




GLASS UNIVERSAL MAGIC CORNER-SOFT CLOSE

Item Code	Finish	Door Size Width	Cabinet Size Width	Size Depth	Packing
OK-UMC-G	Glass	450 mm	1050 mm	550 mm	1 Sets



TITAN UNIVERSAL MAGIC CORNER-SOFT CLOSE

Item Code	Finish	Door Size Width	Cabinet Size Width	Size Depth	Packing
OK-UMC-T	Titan Grey	450 mm	1050 mm	550 mm	1 Sets



FEATURES


- Frame & Accessories high Grade Metal.
- Fitted with soft closing channel.
- With Anti Skid Matt.
- Water proof base with best coating.
- Quick Installation
- Load Capacity: 25Kg Max., 6kg/ Basket

SWING CORNER-SOFT CLOSE

Item Code	Finish	Door Size Width	Cabinet Size Width	Size Depth	Packing
OK-SC-L	Dark Grey	450 mm	1050 mm	550 mm	1 Sets
OK-SC-R	Dark Grey	450 mm	1050 mm	550 mm	1 Sets

FEATURES

- Frame & Accessories high Grade Metal.
- Closing Function: Soft Close
- Optimal use of corner space
- Water proof base with best coating.
- Load Capacity: 7 kg Max., Each Tray



WICKER BASKET-SOFT CLOSE

Item Code	Cabinet Size	Actual Width	Actual Depth	Actual Height	Packing
OK-WB-184	450 mm	414 mm	400 mm	88 mm	1 Sets
OK-WB-186	450 mm	414 mm	400 mm	120 mm	1 Sets
OK-WB-188	450 mm	414 mm	400 mm	168 mm	1 Sets
OK-WB-244	600 mm	564 mm	400 mm	88 mm	1 Sets
OK-WB-246	600 mm	564 mm	400 mm	120 mm	1 Sets
OK-WB-248	600 mm	564 mm	400 mm	168 mm	1 Sets

FEATURES

- Virgin grade PVC Rattan
- Aluminum Frame
- Basket Finish : Powder Coating




MATT ROLL


Item Code	Material	Size in Inch	Size in mm	Length in meter	Packing
OGH-MR-P	Premium	20"	500 mm	5 Mtr	1 Roll
OGH-MR-D	Dotted	20"	500 mm	5 Mtr	1 Roll

FEATURES


- Anti microbial & easily washable
- Non toxic, EVA material
- BPA free
- Anti skid




1. Measure



2. Mark



3. Cropping



PVC CUTLERY TRAY

Item Code	Actual Size in Inch	Carcase Width	Carcase Length	Actual Depth	Packing
OK-CT-18	18"x20"	450 mm	500 mm		10 Pcs
OK-CT-20	20"x20"	500 mm	500 mm		10 Pcs
OK-CT-22	22"x20"	550 mm	500 mm		10 Pcs
OK-CT-24	24"x20"	600 mm	500 mm		10 Pcs
OK-CT-28	28"x20"	700 mm	500 mm		10 Pcs
OK-CT-32	32"x20"	800 mm	500 mm		10 Pcs
OK-CT-36	36"x20"	900 mm	500 mm		10 Pcs

FEATURES

- Anti microbial & easily washable
- Non toxic, EVA material
- BPA free




PLATE / THALI / SAUCER STAND

Item Code	Item Name	Size in Inch	Width	Depth	Height	Packing
OK-PS-20	Plate Stand	20"	160 mm	470 mm	140 mm	10 Nos
OK-TS-20	Thali Stand	20"	160 mm	470 mm	160 mm	10 Nos
OK-SS-20	Saucer Stand	20"	160 mm	470 mm	140 mm	10 Nos

FEATURES

- Easy to fit.
- Material Stainless steel
- Finish: Nickel Chrome with rubber coating.



KITCHEN SKIRTING

FEATURES


- Size: 100mm
- Finish: Black/Silver/ Rose Gold
- Product Code: **OK-KS-10-BL/SL/RG**



SKIRTING CORNER CONNECTOR

FEATURES

- Size:
- Finish: Black
- Product Code: **OK-SCC-BL**



KITCHEN PLINTH FITTING ADJUSTABLE

FEATURES

- Size: 100mm
- Finish: Black
- Product Code: **OK-KPFA-10**



KITCHEN SKIRTING CLIP

FEATURES

- Finish: Black
- Product Code: **OK-KSC-BL**



PLATE / THALI STAND

FEATURES

- Finish: Grey
- Product Code: **OK-DHA**



SS WASTE BIN AUTO LID

FEATURES

- Finish: Stainless Steel
- Capacity : 14 Ltr.
- Product Code: **OK-WBAL**



DOUBLE WASTEBIN

FEATURES

- Finish: Dark Grey
- Capacity : 22 Ltr.
- Product Code: **OK-DW**



ROLLER SHUTTER- GLASS

FEATURES

- Product Code: **OK-RS-GL60-BL**
- Size: 600mm
- Mechanism: Vertical rolling shutter
with smooth up-down operation
- Load Capacity: Up to 10-12 kg shutter weight
- Operation Type: Manual pull, soft-close option available



ROLLER SHUTTER

Item Code	Finish	Size	Profile Width	Depth	Height	Packing
OK-RS-BL-60	Black	600mm	50mm Slat	300-350mm	1400mm	1 Set
OK-RS-SL-60	Silver	600mm	50mm Slat	300-350mm	1400mm	1 Set

FEATURES

- Low friction guides and quality bearings.
- Vertical or horizontal operation (depending on cabinetry).
- Ability to open fully
- Load Capacity up to 25 kg





Wardrobe Sliding Sytem & Accessories

**SOFT
CLOSE**

UNIVERSAL SLIDING SOFT CLOSE FITTING SET

FEATURES


- Product Code : **OW-SUF-2SC (Reversible)**
- Material: Mild Steel
- Finish: Grey
- Rail Length: 348 mm
- Feature: Silence & Soft Close
- Door Thickness: 16-25 mm
- Load Capacity: 60 KG



REVERSIBLE WARDROBE SLIDE TRACK

FEATURES

- Product Code : **OW-WST-2/3**
- Material: Aluminum
- Size: 8ft & 12ft



INVISIBLE SLIDING DOOR FITTING (WOODEN)

FEATURES

- Product Code : **OW-ISDF-W**
- Material: Wooden Door
- Track: 1200 mm



INVISIBLE SLIDING DOOR FITTING (GLASS)

FEATURES

- Product Code : **OW-ISDF-G**
- Material: Glass Door
- Track: 1200 mm



WARDROBE LIFTER SIDE MOUNT

FEATURES


- Product Code : **OW-WLS-R/P**
- Function: Pull Down
- Cobalt Platinum Frame
- Color: Grey (Regular), Brown (Premium)
- Cabinet Size: 660-890 mm
- Width: 600-830 mm
- Depth: 140 mm



TOP MOUNT HANGER RACK

FEATURES

- Product Code : **OW-THR**
- Function: Pull Out
- Color: Grey
- Cabinet Size: 500 mm
- Width: 340 mm
- Depth: 465 mm



TOP MOUNT PULLOUT TROUSER & SAREE-Single

FEATURES

- Product Code : **OW-TPTSS**
- Function: Pull Out
- Cabinet Size: 500 mm
- Width: 6340 mm
- Depth: 465 mm



TOP MOUNT PULLOUT TROUSER & SAREE-Double

FEATURES

- Product Code : **OW-TPTSD**
- Function: Pull Out
- Cabinet Size: 700 mm
- Width: 630 mm
- Depth: 465 mm



PULLOUT TROUSER & SAREE RACK

FEATURES


- Product Code : **OW-PTS-60/90**
- Function: Pull Out
- Cobalt Platinum Frame
- Color: Grey
- Size: 600 mm, 900 mm
- Width: 864-914 mm
- Depth: 465 mm



PULL DOWN IRONING BOARD

FEATURES

- Product Code : **OW-IB**
- Function: Pull Down
- Cobalt Platinum Frame
- Color: Grey
- Cabinet Size: 450 mm
- Width: 300 mm
- Depth: 440 mm



SOFT DECOR BASKET

Item Code	Finish	Cabinet Size	Size Width	Size Depth	Packing
OW-SDB-60	Grey	600 mm	564-614 mm	465 mm	1 Set
OW-SDB-90	Grey	900 mm	864-914 mm	465 mm	1 Set

FEATURES

- Function: Pull Out
- Cobalt Platinum Frame
- Color: Grey



WICKER RATTAN BASKET

FEATURES

- Product Code : **OW-WRB-60/90**
- Function: Pull Out
- Size: 600 mm, 900 mm
- Color: Grey



PULLOUT SHOE RACK

FEATURES

- Product Code : **OW-PSR-60/90**
- Function: Pull Down
- Color: Grey
- Size: 600 mm, 900 mm



REVOLVING SHOE RACK

FEATURES

- Product Code : **OW-RSR-8L**
- Function: Revolving
- Layer: 8 Layer



SHOE RACK METAL

FEATURES

- Product Code : **OW-SR-3S**
- Finish: Black
- Shelf : 3 Shelf
- Material: Metal





Bed Fitting & Bed Frames

**SOFT
CLOSE**

UPLIFT BED FITTING-SMALL

FEATURES

- Product Code : **OW-ULBF-S**
- Function: Soft Close
- Color: Black
- Size: 600 mm



UPLIFT BED FITTING-HEAVY 1500mm

FEATURES

- Product Code : **OW-ULBF-H**
- Function: Angle Adjustable
- Color: Black
- Size: 1500 mm



OLIO GAS PUMP-REGULAR

Item Code	Finish	Force	Load Capacity	Rod Radius (in mm)	Cylinder Radius (in mm)	Packing
OW-GPR-50N	Black	50N	40 kg - 80 Kg	8 Ø	18-20 Ø	1 Set
OW-GPR-75N	Black	75N	40 kg - 80 Kg	8 Ø	18-20 Ø	1 Set
OW-GPR-100N	Black	100N	40 kg - 80 Kg	8 Ø	18-20 Ø	1 Set
OW-GPR-125N	Black	125N	40 kg - 80 Kg	8 Ø	18-20 Ø	1 Set
OW-GPR-150N	Black	150N	40 kg - 80 Kg	8 Ø	18-20 Ø	1 Set

FEATURES

- Color: Black
- Type: Regular
- Frame Thickness: 3 mm mild steel brackets
- Opening Angle: 25° – 35° (standard storage lift)



OLIO GAS PUMP-HEAVY

Item Code	Finish	Force	Load Capacity	Rod Radius (in mm)	Cylinder Radius (in mm)	Packing
OW-GPH-150N	Black	150N	60 kg - 100 Kg	10-12 Ø	20-28 Ø	1 Set
OW-GPH-175N	Black	175N	60 kg - 100 Kg	10-12 Ø	20-28 Ø	1 Set
OW-GPH-200N	Black	200N	60 kg - 100 Kg	10-12 Ø	20-28 Ø	1 Set
OW-GPH-250N	Black	250N	60 kg - 100 Kg	10-12 Ø	20-28 Ø	1 Set

FEATURES

- Color: Black
- Type: Regular
- Frame Thickness: 4 mm mild steel brackets
- Opening Angle: 30° – 40° (standard storage lift)



OLIO GAS PUMP-LONG

Item Code	Finish	Force	Load Capacity	Rod Radius (in mm)	Cylinder Radius (in mm)	Packing
OW-GPL-50N	Black	50N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-75N	Black	75N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-100N	Black	100N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-125N	Black	125N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-150N	Black	150N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-175N	Black	175N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-200N	Black	200N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set
OW-GPL-250N	Black	250N	80 kg - 120 Kg	10 Ø	20-22 Ø	1 Set

FEATURES

- Color: Black
- Type: Regular
- Frame Thickness: 3-4 mm mild steel brackets
- Opening Angle: 40° – 50° (standard storage lift)



SOFA BED FITTING WITH GUIDE

FEATURES

- Product Code : **OGH-SBF**
- Color: Grey



BED CLAMP-100

FEATURES

- Product Code : **OW-BC-4**
- Finish: Metal
- Size: 100 mm



BED CLAMP-150

FEATURES

- Product Code : **OW-BC-6**
- Finish: Metal
- Size: 150 mm




General Hardware

DOOR STRAIGHTENER-STIFFNER

FEATURES

- Product Code : **OGH-DS**
- Finish: Matt Black
- Size: 2 Mtr.



PUSH OPEN CATCHER - PENCIL

FEATURES

- Product Code : **OGH-POC-2**
- Finish: Grey



MAGNET CATCHER

Item Code	Type	Finish	Magnet Strength	Material	Packing
OGH-MC-D1	D Type	White	Medium (2-3 kg Pull)	Small	60 Pcs
OGH-MC-D2	D Type	White	Medium (2-3 kg Pull)	Medium	60 Pcs
OGH-MC-D3	D Type	White	Medium (2-3 kg Pull)	Big	60 Pcs
OGH-MC-M1	M Type	White	Medium (2-3 kg Pull)	Small	60 Pcs
OGH-MC-M2	M Type	White	Medium (2-3 kg Pull)	Medium	60 Pcs
OGH-MC-M3	M Type	White	Medium (2-3 kg Pull)	Big	60 Pcs
OGH-MC-SS	D Type	Stainless Steel	Medium (3-4 kg Pull)	-	60 Pcs
OGH-MC-L1	L Type	Metal	Strong (3-5 kg Pull)	-	60 Pcs
OGH-MC-P	Plain Type	Metal	Light (1-2 kg Pull)	-	60 Pcs



Slim Magnet Catcher
(Coming Soon)

"L" BRACKET

Item Code	Finish	Width	Height	Type	Angle	Packing
OGH-LB-2020	Metal	20 mm	20 mm	L Type	90°	300 Pcs
OGH-LB-4040	Metal	40 mm	40 mm	L Type	90°	-
OGH-LB-6060	Metal	60 mm	60 mm	L Type	90°	-
OGH-LB-2535	Metal	35 mm	25 mm	L Type	90°	1000 Pcs



"L" CONNECTOR


Item Code	Finish	Width	Height	Type	Angle	Packing
OGH-LCR-4025	Metal	40 mm	25 mm	L Type	90°	-
OGH-LCW-4025	Metal	40 mm	25 mm	L Type	90°	-
OGH-LCP-4025	Metal	40 mm	25 mm	L Type	90°	100 Pcs
OGH-LC-5025	Metal	50 mm	25 mm	L Type	90°	-
OGH-LC-7525	Metal	75 mm	25 mm	L Type	90°	-



SPRING AUTO TOWER BOLT

FEATURES

- Product Code : **OGH-SATB**
- Finish: Brown



M4 HANDLE FITTING SCREW

FEATURES

- Product Code : **OGH-HFS-20/22/25/32/50**
- Finish: Nickel Finish
- Size: 20mm, 22mm, 25mm, 32mm, 50mm



DRYWALL SCREW-BLACK

FEATURES

- Product Code : **OGH-DS-619/625/638/650/660**
- Size: 6x19mm, 6x25mm, 6x38mm, 6x50mm, 6x60mm
- Finish: Black



CP MS MIRROR SCREW

FEATURES

- Product Code : **OGH-CPMS-12/19/25/32/38/50/65/75**
- Size: 12mm, 19mm, 25mm, 32mm, 38mm, 50mm, 65mm, 75mm
- Finish: Nickel



M4 CONNECTOR SCREW ONEWAY

FEATURES

- Product Code : **OGH-M4-20/25/30/35/40**
- Size: 20mm, 25mm, 30mm, 35mm, 40mm
- Finish: Nickel



VACUUM SHELF HOLDER-SINGLE

FEATURES

- Product Code : **OGH-VSH-S**
- Type: Single Hole
- Finish: Polycarbonate Clear



VACUUM SHELF HOLDER-DOUBLE

FEATURES

- Product Code : **OGH-VSH-D**
- Type: Double Hole
- Finish: Polycarbonate Clear



OVAL BASE PLINTH

FEATURES


- Product Code : **OGH-OBP-BL/WH**
- Size: 16mmx45mmx8mm
- Type: 2 hole
- Finish: Black & White



NAIL GLIDE PIN FURN FELT

FEATURES

- Product Code : **OGH-NGPF**
- Finish: Brown



BASE PIN WITH NAIL

FEATURES

- Product Code : **OGH-BP15**
- Finish: White



SHELF PIN FLAT TYPE

FEATURES


- Product Code : **OGH-SP-F**
- Finish: Nickel



INSERT CUT TEETH

FEATURES

- Product Code : **OGH-ICT-ZW**
- Size: M6X15mm
- Finish: Nickel



PLINTH LEVELER HEXA

FEATURES


- Product Code : **OGH-PLH**
- Size: M6X24mm
- Finish: Black



NAIL FIX

FEATURES

- Product Code : **OGH-NF**
- Finish: Nickel



SHELF SUPPORT SCREW

FEATURES

- Product Code : **OGH-SSS-1/2**
- Finish: Clear & Grey



MINI FIX SET

FEATURES

- Product Code : **OGH-MFS/ MFS-2/MFS-SS**
- Finish: Steel (Set of 3)



WOODEN DOWEL

FEATURES

- Product Code : **OGH-WD-840**
- Finish: Wooden
- Size: 8x40mm



DOWEL INSET

FEATURES

- Product Code : **OGH-DI**
- Size: 5mm
- Finish: White



MODULAR FIXING M/F CLAMP

FEATURES

- Product Code : **OGH-MFC**
- Size: 35mm
- Finish: Black



LOFT LOCK

FEATURES

- Product Code : **OGH-LL-25/38/50**
- Size: 25mm, 38mm, 50mm
- Finish: Nickel



ALLEN KEY NORMAL

FEATURES

- Product Code : **OGH-AKN**
- Finish: Nickel



MOULDED ALLEN KEY

FEATURES

- Product Code : **OGH-AKM**
- Finish: Nickel



BIRDS SPIKE

FEATURES

- Product Code : **OGH-BS**
- Size: 300mm
- Finish: Clear



SOFT CORNER BUMPER-ROUND

FEATURES

- Product Code : **OGH-SCBR**
- Finish: Clear



SOFT CORNER BUMPER-SQUARE

FEATURES

- Product Code : **OGH-SCBS**
- Finish: Clear



FOLDING BRACKET

Item Code	Size in Inch	Size in mm	Thickness	Load Capacity	Packing
OGH-FB-30	12"	300 mm	12 mm	60 kg	1 Sets
OGH-FB-40	16"	400 mm	12 mm	60 kg	1 Sets
OGH-FB-50	20"	500 mm	12 mm	60 kg	1 Sets
OGH-FB-60	24"	600 mm	12 mm	60 kg	1 Sets

FEATURES

- Ideal solution for foldable table or shelf where space is limited.
- Suitable for multipurpose applications for homes, office, retail stores, etc.
- Special release latch helps to fold the table



FOLDING DINING TABLE FITTING

FEATURES

- Product Code : **OGH-FDTF-60/75/90/120/150**
- Size: 600mm, 750mm, 900mm, 1200mm, 1500mm
- Finish: Dark Grey



HEAVY DUTY FIX BRACKET

FEATURES

- Product Code : **OGH-FB**
- Size: 300 mm
- Finish: Black



MULTI UTILITY BRACKET

FEATURES

- Product Code : **OGH-MUB**
- Finish: Black
- Load Capacity : 25kg to 50 kg



CRANK TOWER BOLT

FEATURES

- Product Code : **OGH-TBC-10/15**
- Size: 100 mm, 150 mm
- Finish: Stainless Steel



DOOR EYE ROUND

FEATURES

- Product Code : **OGH-DER-CP/AQ**
- Finish: CP, Antique
- Lens: Optical glass wide angle
- Viewing Angle: 160°-200°
- Lens Diameter: 12 mm- 14mm



OVAL PIPE BACKET

FEATURES

- Product Code : **OGH-OPB**
- Finish: Antique
- Bracket Plate size: 30mm x 15mm
- Hole Type: 2 Screw hole for strong grip



MULTI DRAWER LOCK

FEATURES

- Product Code : **OGH-MDL-R/P**
- Size: 600mm
- Finish: Stainless steel
- Type: Regular & Premium



SLIDING WARDROBE LOCK

FEATURES

- Product Code : **OGH-SWL**
- Size: 25mm
- Finish: Stainless steel
- Lock Type: Combination Lock
- Dimension: 6x2.5x3 cm



BUMP ON SELF ADHESIVE

Item Code	Finish	Size Length	Thickness	Packing
OGH-BS-1	Clear	10 mm	2 mm	500 Pcs
OGH-BS-2	Clear	12 mm	5 mm	400 Pcs
OGH-BS-3	Clear	15 mm	2.5 mm	300 Pcs

FEATURES

- Strong self-adhesive, easy peel & stick application.
- Shock-absorbing, noise-reducing & long-lasting grip.
- Acts as a buffer to door slamming noise
- Provides grip for small items.



DOOR SEAL-SOUND/DUST PROTECTOR

FEATURES


- Product Code : **OGH-DSS**
- Length: 3 mtr.
- Type: D shape
- Finish: Black
- Self adhesive strip
- Water, Sound, Dust Resistance



DOOR SEAL-SOUND/DUST PROTECTOR

FEATURES

- Product Code : **OGH-DSD**
- Length: 2.5 mtr.
- Finish: Black, Clear & Apricot
- Self adhesive strip
- Temperature, Weather, Insect, Dust Resistance



ADJUSTABLE HANGING BRACKET-WITH WALL PLATE

FEATURES

- Product Code : **OGH-AHB**
- Finish: White
- Bracket Size: 40 mm x 35 mm
- Wall Plate Size: 30 mm x 15 mm
- Adjustment Range: 10 mm - 15 mm
(in/out or up/down depend on design)



SQUARE REVOLVING PLATE- HEAVY DUTY

Item Code	Finish	Size	Height	Thickness	Load Capacity	Packing
OGH-RP-15	Black	150x150mm	14-16mm	2.0mm	Up to 150 kg	
OGH-RP-20	Black	200x200mm	16-18mm	2.5mm	Up to 200 kg	
OGH-RP-25	Black	250x250mm	18-20mm	3.0mm	Up to 250-300 kg	

FEATURES

- 360° smooth rotation with minimal noise.
- Square design for stable mounting.
- Heavy-duty load bearing with reinforced steel construction.
- Rust-resistant surface treatment.
- Pre-drilled holes for easy installation.
- Ensures **Stability, Durability,** and **Smooth Rotation.**



REVOLVING PLATE- AUTO RETURN

FEATURES

- Product Code: **OGH-RP-AR20**
- Plate Size: 200 × 200 mm (Square).
- Plate Thickness: 2.5-3.0 mm.
- Rotation: 360° smooth rotation with auto return.
- Load Capacity: Up to 200 kg (static).
- Height (Approx.): 18-20 mm (including spring housing).
- Pre-Drilled Holes: For easy mounting.




SS DECORATIVE SELF ADHESIVE STRIP

Item Code	Material	Length	Width	Thickness	Packing
OGH-SAS-8	Stainless Steel	5 Mtr.	8 mm	0.3 mm-0.5 mm	5 Mtr. Roll
OGH-SAS-10	Stainless Steel	5 Mtr.	10 mm	0.3 mm-0.5 mm	5 Mtr. Roll
OGH-SAS-12	Stainless Steel	5 Mtr.	12 mm	0.3 mm-0.5 mm	5 Mtr. Roll
OGH-SAS-19	Stainless Steel	5 Mtr.	19 mm	0.3 mm-0.5 mm	5 Mtr. Roll
OGH-SAS-25	Stainless Steel	5 Mtr.	25 mm	0.3 mm-0.5 mm	5 Mtr. Roll
OGH-SAS-40	Stainless Steel	5 Mtr.	40 mm	0.3 mm-0.5 mm	5 Mtr. Roll
OGH-SAS-50	Stainless Steel	5 Mtr.	50 mm	0.3 mm-0.5 mm	5 Mtr. Roll



FEATURES

- Finish: Gold, Rose Gold, Brush Gold, Black
- Packing: 5 Mtr. Roll
- Can be cut easily with scissors or cutter.
- Adhesive holds strong in -10°C to +80°C
- USP: No Drilling | Elegant Look | Long-Lasting Shine | Quick DIY Installation..



POLY CARBONATE CASTOR

Item Code	Finish	Load Capacity Per Wheel	Wheel Diameter	Wheel Width	Brake Option	Packing
OC-PC-35	Clear	20-25kg	35mm	12 - 15 mm	No	4 Pcs
OC-PCB-35	Clear	20-25kg	35mm	12 - 15 mm	Yes	4 Pcs
OC-PC-50	Clear	35-45kg	50mm	15 - 20 mm	No	4 Pcs
OC-PCB-50	Clear	35-45kg	50mm	15 - 20 mm	Yes	4 Pcs
OC-PC-75	Clear	60-80kg	75mm	20 - 25 mm	No	2 Pcs
OC-PCB-75	Clear	60-80kg	75mm	20 - 25 mm	Yes	2 Pcs

FEATURES


- Finish: Clear
- **360°** swivel for smooth maneuvering
- Polycarbonate wheel resists scratches, impacts
- Suitable for humid environments; no lubrication required



We have variety of castors like:

Fixed Castor, Twin Wheel Castor, Ball Castor, Four Wheel Castor, Six Wheel Castor, Ball Bearing Castor, Furniture Ply Castor






Aluminum Profile

ALUMINUM GLASS SHUTTER PROFILE

Item Code	Material	Length	Width	Handle	Finish	Packing
OAP-GP45-BL	Aluminum	3 Mtr.	45 mm	No	Black	10 Pcs
OAP-GP45H-BL	Aluminum	3 Mtr.	45 mm	With Handle	Black	6 Pcs
OAP-GP45-SF	Aluminum	3 Mtr.	45 mm	No	Special Finish	10 Pcs
OAP-GP45H-SF	Aluminum	3 Mtr.	45 mm	With Handle	Special Finish	6 Pcs

FEATURES

- Style: Sleek, Flexible
- It comes with handle and without handle
- Thickness Support: 4mm - 8mm (with gasket)




ALUMINUM GLASS SHUTTER PROFILE SLIM 4

Item Code	Material	Length	Width	Handle	Finish	Packing
OAP-GP22-BL	Aluminum	3 Mtr.	22 mm	No	Black	20 Pcs
OAP-GP22H-BL	Aluminum	3 Mtr.	22 mm	With Handle	Black	15 Pcs
OAP-GP22-SF	Aluminum	3 Mtr.	22 mm	No	Special Finish	20 Pcs
OAP-GP22H-SF	Aluminum	3 Mtr.	22 mm	With Handle	Special Finish	15 Pcs
OAP-GP22-BG	Aluminum	3 Mtr.	22 mm	No	Brush Gold	20 Pcs
OAP-GP22H-BG	Aluminum	3 Mtr.	22 mm	With Handle	Brush Gold	15 Pcs

FEATURES

- Style: Sleek, Flexible
- It comes with handle and without handle
- Glass Size: 4 mm
- Handle: Left & Right 1200 mm




G HANDLE PROFILE

Item Code	Material	Length	Width	Finish	Thickness	Packing
OAP-GHP-BL	Aluminum	3 Mtr.	45 mm	Black	1.0 mm -1.5 mm	10 Pcs
OAP-GHP-SF	Aluminum	3 Mtr.	45 mm	Special Finish	1.0 mm -1.5 mm	10 Pcs

FEATURES


- "G" shaped profile
- Creates a inbuilt handle grip
- Fits with 18mm, 20mm shutter



ALUMINUM GOLA PROFILE "L"

FEATURES


- Product Code : **OAP-GLL-BL**
- Length: 3 mtr.
- Type: L shaped
- Finish: Black



ALUMINUM GOLA PROFILE "C"

FEATURES


- Product Code : **OAP-GLC-BL**
- Length: 3 mtr.
- Type: C shaped
- Finish: Black



BOTTOM GOLA EDGE PROFILE

FEATURES

- Product Code : **OAP-BGE-BL**
- Length: 3 mtr.
- Finish: Black



ALUMINUM WARDROBE OVAL RAIL

Item Code	Material	Length	Outer Size	Finish	Thickness	Packing
OAP-WOR-2	Aluminum	2 Mtr.	15x30mm	Satin	1.0 mm -1.2 mm	10 Pcs
OAP-WOR-3	Aluminum	3 Mtr.	15x30mm	Satin	1.0 mm -1.2 mm	10 Pcs

FEATURES

- Sleek Oval Design
- Comes with end bracket
- Load Capacity: 40kg-45kg




ALUMINUM WARDROBE OVAL PIPE

Item Code	Material	Length	Outer Size	Finish	Thickness	Packing
OAP-WRO-BL	Aluminum	12 feet	15x30mm	Black	1.0 mm -1.2 mm	10 Pcs
OAP-WRO-RG	Aluminum	12 feet	15x30mm	Rose Gold	1.0 mm -1.2 mm	10 Pcs

FEATURES


- Modern sleek design, better than round pipe
- Comes with end bracket
- Withstands heavy clothes without bending
- Load Capacity: 50kg-60kg



PROFILE "L" CONNECTOR

FEATURES

- Product Code : **OGH-PLC-2/4**
- Hole Type : 2 Hole, 4 Hole
- Set: Set of 4 pcs



GOLA PROFILE CONNECTOR

FEATURES

- Product Code : **OGH-GPC**
- Hole Type : 4 Hole



Office Hardware & Accessories

SLIDING POPUP BOX WITH WIRELESS CHARGER

Item Code	Length	Height	Width	Finish	Packing
OO-PB-SS1	250 mm-300mm	60 mm – 70 mm (closed)	120 mm – 150 mm	Silver	01 Pcs
OO-PB-SB1	250 mm-300mm	60 mm – 70 mm (closed)	120 mm – 150 mm	Black	01 Pcs

FEATURES

- Sleek concealed design
- Wireless Charger Output: **10W / 15W**
- Multiple Power Outlets – AC sockets, USB-A, USB-C
- Wireless Charger inbuilt



SLIDING POPUP BOX TWO WAY

Item Code	Length	Height	Width	Finish	Packing
OO-PB-SS2	250 mm-300mm	60 mm – 70 mm (closed)	120 mm – 150 mm	Silver	01 Pcs
OO-PB-SB2	250 mm-300mm	60 mm – 70 mm (closed)	120 mm – 150 mm	Black	01 Pcs

FEATURES

- Sleek concealed design
- Power Rating: **110-250V / 50-60Hz**
- Customizable Outlets: **AC sockets, USB, Type-C, HDMI, LAN ports, etc.**
- Opening Style: **Two-way sliding cover**



WIRELESS CHARGER

FEATURES

- Qi-Compatible Wireless Charging
- Fast Charging – **10W / 15W** output with smart charging
- Diameter / Size: **100 mm – 120 mm (round)**
- Thickness: **6 mm – 10 mm**
- Finish: **Black**
- Wireless Charger Output: **5W / 7.5W / 10W / 15W (auto detection)**
- Input: **5V/2A, 9V/2A (Type-C cable)**



WIRE MANAGER

FEATURES

- Product Code : **OO-WM60-BL/WH/SL/ZS**
- Clean Cable Management
- Size: **60 mm**
- Finish: **Black, White, Silver, Zinc Silver**
- Material: **PVC and Metal**



TABLE PARTITION ADJUSTABLE CLAMP

FEATURES

- Product Code : **OO-PAC/PAC-E**
- Comes in Two type Regular and Eco
- Partition Thickness: **5 mm – 25 mm (adjustable)**
- Clamp Opening: **15 mm – 40 mm (for table edge)**
- Finish: **White**



PARTITION ADJUSTABLE CLAMP ALLEN FIXING SCREW

FEATURES

- Product Code : **OO-PAC-FS-16/20/25/40**
- Size: 16 mm, 20 mm, 25 mm, 40 mm
- Load Capacity: 10-15 kg partition holding capacity
- designed for long-term use in offices and commercial setups





Smart
Hardware

WALL CABINET SMART ROLLER SHUTTER (CLAMBER)

Code	Width	Height	Length	Finish	Packing
OSH-CRS-45-SM	450 mm	300 mm	720 mm	Silver Mirror	1 Set
OSH-CRS-45-RG	450 mm	400 mm	720 mm	Rose Gold Mirror	1 Set
OSH-CRS-60-BM	600 mm	300 mm	720 mm	Black Mirror	1 Set
OSH-CRS-60-WH	600 mm	400 mm	720 mm	White	1 Set
OSH-CRS-90-BL	900 mm	300 mm	720 mm	Black	1 Set
OSH-CRS-90-CO	900 mm	400 mm	720 mm	Copper	1 Set

Specification

- Electric Lifting System
- Runs on 220V
- Comes With Touch Sensor
- Has Inbuilt LED Lights

Inner Carcass Color

- Slate Grey • Frosty White • Fabric



ELECTRIC PULLDOWN

Specification

- Product Code : **OSH-EP-SG**
- Size: **864x260x590**
- Color: **Slate Grey**
- Electric Lifting System
- Runs on **220V**
- Available With Touch Sensor



ELECTRIC DOWNLIFT

Specification

- Product Code: **OSH-ED-SG**
- Size: **864x260x590**
- Color: **Slate Grey**
- Electric Lifting System
- Runs on **220V**
- Available With Touch Sensor




OLiOTM
Collection of Intelligent Fittings

Smart Light. Smarter Style.
WELCOME TO THE HOME OF TOMORROW


LED LIGHTS



SPOT LED LIGHTS



PROFILE LIGHTS



WARDROBE LED LIGHTS

Please contact for LED Strip Light Catalogue | Contact :+91-79764 02788

Foundation That Define The Finish

ELEVATE YOUR DÉCOR WITH

PREMIUM METAL LEGS



Please contact for Our Premium Metal Leg Series | Contact :+91-79764 02788



OLiOTM

Collection of Intelligent Fittings

GET IN TOUCH

☎ +91-79764 02788

✉ olioindia28@gmail.com

🌐 www.oliogroup.in

Follow Us For More Details

@olioindia   